



# Texas Water Development Board Groundwater Database Reports



## Cooperator Infrequent Constituent Report

County: Austin

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
5960703	6/6/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/26/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/26/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/6/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
5961501	6/5/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
5962403	6/6/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/6/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
5963801	6/6/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/6/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
5963802	7/21/2004	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
6604302	6/6/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/6/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/26/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/26/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
6605705	4/26/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
6605706	4/26/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/6/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/6/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
6605706	8/17/2006	00916	CALCIUM, TOTAL (MG/L AS CA)		97.2	0
	8/17/2006	01027	CADMIUM, TOTAL (UG/L)	<	1	0
	8/17/2006	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	0.8	0
	8/17/2006	01007	BARIUM, TOTAL (UG/L AS BA)		140	0
	8/17/2006	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2	0
	8/17/2006	00951	FLUORIDE, TOTAL (MG/L AS F)		0.6	0
	8/17/2006	00945	SULFATE, TOTAL (MG/L AS SO4)		33	0
	8/17/2006	00940	CHLORIDE, TOTAL (MG/L AS CL)		111	0
	8/17/2006	00403	PH (STANDARD UNITS) LAB		6.9	0
	8/17/2006	00927	MAGNESIUM, TOTAL (MG/L AS MG)		15.1	0
	8/17/2006	01051	LEAD, TOTAL (UG/L AS PB)	<	1	0
	8/17/2006	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		304	0
	8/17/2006	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.01	0
	8/17/2006	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)		0.01	0
	8/17/2006	00440	BICARBONATE ION (MG/L AS HCO3)		343	0
	8/17/2006	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		281	0
	8/17/2006	00929	SODIUM, TOTAL (MG/L AS NA)		71.7	0
	8/17/2006	01097	ANTIMONY, TOTAL (UG/L AS SB)		2.1	0
	8/17/2006	71900	MERCURY, TOTAL (UG/L AS HG)	<	0.4	0
	8/17/2006	71885	IRON (UG/L AS FE)		1470	0
	8/17/2006	70301	SOLIDS, DISSOLVED, SUM OF CONSTITUENTS, MG/L		535	0
	8/17/2006	01042	COPPER, TOTAL (UG/L AS CU)		0.0031	0
	8/17/2006	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	20	0
	8/17/2006	01092	ZINC, TOTAL (UG/L AS ZN)		7.7	0
	8/17/2006	01077	SILVER, TOTAL (UG/L AS AG)	<	10	0
	8/17/2006	01067	NICKEL, TOTAL (UG/L AS NI)		2.5	0
	8/17/2006	01059	THALLIUM, TOTAL (UG/L AS TL)	<	0.4	0

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
6606208	8/17/2006	01055	MANGANESE, TOTAL (UG/L AS MN)		55.9	0
	8/17/2006	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	10	0
	8/17/2006	01147	SELENIUM, TOTAL (UG/L)	<	3	0
6606616	4/27/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/27/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
6607502	4/27/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/27/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/4/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/4/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
6614102	6/6/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/6/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
6615901	6/6/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/6/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
6616407	4/28/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/5/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/28/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
6623401	4/28/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/28/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
6624801	6/5/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/28/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/5/2001	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2001	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/28/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	